JOURNAL OF THE KANSAS ENTOMOLOGICAL SOCIETY
58(4), 1985, pp. 753–758

INDEX TO VOLUME 58

abstracts and titles of papers presented at 60th annual meeting of society, 182; 61st annual meeting, 562
Acarina, on corn, 503; as food of thrips, 532; cytogenetics of, 549
Acer rubrum as nectar source for bees, etc., 169
acorn production and root density, effect of cicada nymphs, 269
Acrididae, host plants, 465
Acyrthosiphon pisum, 131
Agalliinae from South and Central America, 156
Agalliopsis, new species: ***imparsumma***, 156; ***dirhachis***, 158; ***decis***, 158; ***pina***, 158; ***harpis***, 160; ***cornuta***, 161; ***calibera***, 161
Agapostemon angelicus, pollinator of cotton, 1; seasonal cycles, 1
aggression, in crickets, 562
Agromyzidae, 727
Agrotis ipsilon, 62
Ajidagba, P. A., 569
Alcock, J., 162
alfalfa, effect of insecticides on arthropods in, 437; effects of cultivar on fecundity of pea aphid, 131; as habitat for enemies of green cloverworm, 597; spring establishment, 722; seed chalcid infestation of *Medicago*, 369
Amblyomma, chromosomes of, 549
anatomy of female reproductive system in *Tabanus*, 195
Andrenidae, 185
annual meeting, notice, 151; abstracts and titles, 182, 562
Anthophoridae, 36; foraging, 19; mating behavior, 526; nest and larva of *Tetralonia hamata*, 686; nest structure, 559
antifeeding activity of pyrethroids toward Mexican bean beetle, 422
ants, arboreal orientation, 182; army, of U.S., 479, keys, 481; behavior of in response to oil, 586; *Solenopsis* (fire ants), 9
Aphididae, fecundity of, 131
Apidae, ergonomics of, 413; Euglossini, nest structure and emergence, 538
Apis laboriosa, 746
Apis mellifera, ergonomics of, 413
Apoidea, lacinia of, 137; mate-seeking behavior, 142
Aporinellus medianus, burrow and prey, 168
apple, seed count, fruit yield, pollination by leafcutter bees, 448
aquatic insects, trophic structure, 207
Aradophagus fasciatus, possible hosts, 183
Araneae, fauna of in oaks, 378
Arctiidae, fall webworm, 626
army ants, taxonomy and distribution, 479; keys to genera and species, 481
army cutworm, viral pathology, 353
arthropod fauna of live oak, 378
Asay, K. H., 356
Asensio, E., 42
Ashmeadiella ***chumashae***, new species, 555
Asteraceae, foraging by bees on, 19
Atalophlebiinae, 91
Athysanella, distribution, 578; new species: ***macleani***, 579; ***secunda***, 581; ***resusca***, 583
Attenuipyga, key, 320; ***balli***, new species, 322

bacteria, transstadial transmission in *Oncopeltus*, 553
Baker, J. R., 290
Baldwin, J. D., 567
Bambara, S. B., 290
Banks grass mite, on corn, 503
Batra, S. W. T., 169
Bay, D. E., 569
Beeman, R. W., 254
bees, anthophorid, mating behavior, 526; anthophorid, nest and larva, 686; *Ashmeadiella*, 555; *Tetralonia*, 559; carpenter, 36; foraging movements, 19; leafcutter, 290; mate-seeking behavior affected by resource distribution, 142; Megachilidae, new species, 555; nest structure in *Euglossa*, 538; as pollinators, 42, 448; pollen collection by, 517; pollinating apple, 448; relation of long legs to oil collecting, 359; seasonal cycles related to cottonseed production, 1; social behavior of *Melipona*, 386; stingless, resin collecting by, 337; taxonomy of *Eulonchopria*, key to species, 236; taxonomy of *Osmia*, 742
behavior, calling, of cockroaches, 261; behavior, of crickets, 562; of fire ants, 586; of harvester ants, 565; hilltopping, in wasps, 162; of honey bees, 413; mating, in bees, 526; of *Melipona* bees, 386; of *Perdita opuntiae*, 185; provisioning, by *Sphex* sp., 631; of *Spastomeloe formosus*, 681; of stingless bees, 337; of tephritid flies, 737
Bell, W. J., 261
Ben-Gweirif, S., 553
Bennett, B., 185
Berberet, R. C., 195
Beregovoy, V. H., 732, 739
Berger, L. A., 1
Berrios-Ortiz, A., 179
biosystematics, of *Nousia* May-flies, 91
black cutworm moth, 62
black grass bug, feeding preference, 356
Blattaria, calling behavior, 261
blister beetles, 611, 668; mesothoracic glands, 179
Blocker, H. D., 578
Bohart, R. M., 708
Braconidae, parasitic on corn borer, 509
Brandenburg, R. L., 437, 722
Breed, M. D., 185
Brewer, G. J., 369
Brockmann, H. J., 631
brood tolerance, in *Polistes*, 567

Brooks, R. W., 559
Brussard, P. F., 403
Buchmann, S. L., 517
Burk, T., 183, 562
Burke, H. R., 124, 701
Burkholder, W. E., 254
Buske, M. C., 373
butterflies, checkerspot, 403
buzz-pollination by bees, 517
Byers, G. W., 183

caddis-flies, *Setodes*, 166; taxonomy of, 248
Canada thistle, insects feeding on, 472
Capinera, J. L., 465
carbofuran, 722
carpenter bees, nest aggregation, 36
Carvalho, J. C. M., 228
Cassida atripes, 53
Cassidinae, 53
Cerambycidae, 557; dimorphism in, 534; male genitalia, 543
Ceratina calcarata, 19
chalcid, alfalfa seed, in *Medicago*, 369
checkerspot butterflies, taxonomy, 403
Chippendale, G. M., 509
Chironomidae, substrate samplers for, 724
Christiansen, C., 724
chromosomes, of *Amblyomma*, 549
Chrysididae, 620, 708
Chrysomelidae, corn rootworm, 397; Hispinae, 428; northern corn rootworm, 547; parasitoids of, 367; synonymy in, 53
cicadas, effect of on root density and acorn production, 269; periodical, nymphal size, 605
Cicadellidae, Deltocephalinae, 578; Dorycephalinae, 314; new species of, 156
Cicindela politula, review of, 220; key to subspecies, 220; ***petrophila***, new subspecies, 223
Cicindelidae, synonymy in, 220
Cirsium arvense, insects feeding on, 472
Clement, S. L., 62
clover root curculio, 346
Coccinellidae, feeding, 131; reactions to pyrethroids, 422
cockroaches, calling behavior, 261
cocoon, role of in overwintering of soybean pod borer, 240
Colletidae, 236
communities, of invertebrates and plants, 75
convergent lady beetle, feeding activity, 131
Coptocycla bisignata, 53
Corduliidae, 721
corn, leaf-feeding resistance to corn borer, 373
corn borer, southwestern, 509
corn rootworm, northern, 547; western, 397
cotton, pollination by halictid bees, 1
crane fly larvae, locomotion, 152
crop contents analysis to determine host plant preference, 465
cuckoo-wasps, 620, 708
Cuda, J. P., 701
Curculionidae, 701; larvae and pupae, 124; spatial distribution of eggs, 346
cuticle, postembryonic changes in, 227
cutworm, variegated, in alfalfa, 437
Cwikla, P. S., 156
cytogenetics, of ticks, 549

D-Vac suction machine, portable stand for, 175
DeLong, D. M., 156
Delphacidae, populations and parasites, 69
Dendrobias mandibularis, 534
density of larvae, influence on survival in corn rootworm, 397
DeSmet-Moens, H., 472
Diapheromera veli, 465
digger wasp, provisioning behavior, 631
dimorphism, in Cerambycidae, 557; in male cerambycid beetles, 534
Dinkins, R. L., 182
dispersion of coneheaded katydids, 183
Distler, D. A., 75
Dobrin, G. C., 422
Dorycara, key, 327; *platyrhyncha* ***setosa***, new subspecies, 331
Dorycephalinae, synopsis, 314
dragon-fly, distribution, 721; nymph, 656
Dryinidae, 69
Dufourea novaeangliae, mate-seeking behavior, 142

ecology, of invertebrates near power plant, 75; of stream insects, 207
ectoparasitic braconid on corn borer, 509
Eddy, T. A., 565
Ehrlich, P. R., 403
Eickwort, G. C., 142
Elampinae, neotropical, 620
Eldridge, J. R., 182
Elvin, M. K., 346
Emerson, K. C., 173
Epicauta segmenta, mesothoracic glands, 179
ergonomic study of honey bees, 413
Eucera palestinae, mating behavior, 526
Eudiagogus, larvae and pupae, 124
Euglossa turbinifex, 538
Eulonchopria bees, *gaullei*, new combination, 237; key to species, 238
Euphydryas spp., butterflies, 403; *anicia bernadetta*, life history, 566
European bee, *Osmia cornuta*, 42
European corn borer, larval mortality, 373
Eurytomidae, in annual *Medicago*, 369
Exallopyga, new genus, 620; key to species, 622

fall webworm, 626
Fargo, W. S., 175, 563, 564
Feir, D., 553
Ferrington, L. C., 724
fire ants, worker size, mount distribution, 9; monogyny and polygyny in, 9; response to oil, 586
fireflies, mate-searching by males, 562
Fitzgerald, V. J., 567
Fletcher, D. J. C., 9
floral spurs of *Diascia*, oil source for bees, 359
food resource for honey bees in early spring, 169
Foote, B. A., 27
foraging ecology, of *Perdita opuntiae*, 185

foraging movements, by bees on Asteraceae, 19
Formicidae, army ants, 479; fire ants, 586
Foster, R. B., 564, 565
Frankie, G. W., 378
French, L. D., 620
Freytag, P. H., 69

genetic distance in checkerspot butterflies, 403
Gerridae, life history, 348
Gilstrap, F. E., 503
Ginsberg, H. S., 19
Giri, M. K., 69
Glyphuroplata, review of, 428; key to North American species, 429; ***anisostenoides***, new species, 433
golden digger wasp, behavior, 631
Goldsmith, S. K., 534
Gomphus ozarkensis, nymph, 656
Gordon, F. C., 727
grain pests, effects of 2-tridecanone on, 254
granulosis virus, in army cutworm, 353
grasses, feeding on by black grass bug, 356
green cloverworm, natural enemies of, 597, 662
Greenberg, L., 9, 137
greenbug biotypes, variation in, 563
Griswold, T. L., 555

habitat, effect of on nymphal size in cicadas, 605
Halictidae, foraging, 19; lacinia of, 137; mate-seeking behavior, 142; pollinating cotton, 1
Halictus ligatus, 19
Hammond, R. B., 364, 422
Hansen, J. D., 356
Harp, G. L., 656
Harris, S. C., 166, 248
harvester ant, behavior, 565
Hefetz, A., 526
Heliothis zea, pollen on, 182
Hemileuca oliviae, 465
Hendrix, W. H., 182
Herdoniini, new species from Mexico, 228
Hergenrader, G. L., 721
Herre, E. A., 564
hickory shuckworm, parasites of, 182
hilltopping behavior in *Pseudomasaris* wasps, 162
Himalayan honey bee, 746
Hippodamia convergens, 131
histology of female reproductive system in *Tabanus*, 195
Holbert, D., 563
holly leafminer, parasitoids of, 727
Holzenthal, R. W., 166
Homoeosoma electellum, parasitoids of, 732; first generation larvae, 739
Homoptera, associated with tropical trees, 565
honey bee, ergonomics of, 413; Himalayan, 746
Honma, K., 240
Horber, E. K., 369
host plant, preference, 465; resistance index, 564
house fly, mortality in poultry manure, 442; parasites of, 84
Howard, J., 337
Huggins, D. G., 656

Hydroptila, new species: ***lagoi***, 248; ***chelops***, 249; ***patriciae***, 250; ***mobilensis***, 252
Hydroptilidae, taxonomy, 248
Hyphantria cunea, 626

immature stages of leafcutter bees, 290
Inayatullah, C., 563, 564
inquilines, of Megachilidae, 308
insecticides, carbofuran, 722; effects on Mexican bean beetle, 422; toxicity for corn rootworm, 547; use against variegated cutworm, 437
introduction, of *Osmia* bees for pollination, 42
Iphiaulax kimballi, 509
Ipsiura, key to species, 709; new species: ***boliviana***, 711; ***catamarcae***, 713; ***cooperi***, 714; ***covillei***, 714; ***fritzi***, 715; ***irwini***, 715; ***lata***, 716; ***lilloi***, 717; ***nigriventer***, 717; ***oaxacae***, 718; ***obidana***, 718; ***prolixa***, 718; ***spiculella***, 719; ***tropicalis***, 719; ***venezuelae***, 720

Jackson, J. J., 353
Janousek, T. E., 183, 562
Johnson, L. K., 565

Karban, R., 269
Karner, M. A., 131
Kaster, L. V., 62
katydids, dispersion of in prairie, 183
kin recognition, in *Polistes*, 567
Kittle, P., 348
Klahn, J., 567
Kolmes, S. A., 413
Kovarik, P. W., 124
Kramer, K. J., 254
Kudo, I., 746
Kuhn, E. D., 290
Kukuk, P. F., 142

Labops hesperius, feeding preference, 356
lacinia, in bees, 137
larva, of *Tetralonia hamata*, 686
larvae and pupae, of *Eudiagogus*, 124; of *Trichobaris* spp., 701
larval density, influence on survival of corn rootworm, 397
larval morphogenesis, of stable fly, 569
leaf beetles, hispine, taxonomy, 428
leafcutter bees, nests and immature stages, 290; pollinating apple, 448
leaf-feeding resistance to corn borer, 373
leafhoppers, 314; *Athysanella* spp., 578
leafmining beetles, parasitoids of, 367
Lee, H. J., 509
Leguminivora glycinivorella, overwintering, 240
Leguminosae, root nodules as food of fly larvae, 27
Lentz, G. L., 202
Leptoceridae, 166
Leptophlebiidae, 91
Lew, A. C., 547
Lewis, L. C., 597, 662
Linit, M. J., 543
Lloyd, M., 605
locomotion, of crane fly larva, 152

longitudinal and seasonal patterns of trophic structure in stream insects, 207
long-legged bees, oil collecting by, 359
Lygaeidae, bacteria in, 553

Maeta, Y., 36
Magicicada species, nymphal size, 605
male genitalia of Cerambycidae, 543
Mallophaga, on cockatoo, 173
management regimes, effects on invertebrate communities, 75
Manglitz, G. R., 131
maple flowers, food source for honey bees, 169
Masaridae, hilltopping behavior, 162; pollen collection by, 730
mate-seeking behavior, in halictid bees, 142
mating behavior, of anthophorid bees, 526; of *Perdita opuntiae*, 185
May-flies, biosystematics, 91
Mayo, Z. B., 397
McGovern, T. P., 254
McGrane, J. P., 566
McPheron, B. A., 367
Medicago, annual species of, tests of seed chalcid, 369
meeting announcements: 10th Congress of Brazilian Entomology, 372; 56th Rocky Mountain Conference of Entomologists, 372; 34th Annual Meeting of North American Benthological Society, 402
Megachilidae, 42; nests and immature stages, 290; new species, 555, 742; pollinators of apple, 448
Melipona favosa, social behavior, 386
Meliponinae, 337
Melittidae, oil collecting by, 359
Meloetyphlus, 611
Meloidae, mesothoracic glands, 179; systematics, 611, 668
Meloini, key to genera and subgenera based on triungulin, 679
mesothoracic glands in *Epicauta*, 179
Mexican bean beetle, effects of pyrethroids on, 422
Meyer, J. A., 84
Michener, C. D., 137, 236, 359, 559
Miliczky, E. R., 686
milkweed bug, bacteria in, 553; character covariance, 566; intraspecific variation, 567
Miridae, feeding preference, 356; new genus and species, 228
mites, tetranychids, on corn, 503
Moffett, J. O., 1
Mollett, J. A., 532
Monochamus spp., structure of male genitalia, 543
monogynous colonies of fire ants, 9
Morgan, P. B., 442
morphogenesis, in larval stable fly, 569
Morrill, W. L., 472
mortality, of housefly eggs and larvae, 442
Mueller, T. F., 182
Musca domestica, 84; mortality in poultry manure, 442
Muscidae, larval morphogenesis, 569; mortality of eggs and larvae, 442; parasitism of, 84
Murphy, D. D., 403

Neff, J. L., 730
Neoclytus torquatus, male of, 557
nest aggregation, of Taiwanese bamboo carpenter bee, 36
nest site change, ant behavior, 565
nest structure, in *Euglossa*, 538; in *Tetralonia lepida*, 559
nesting, of Himalayan honey bee, 746
nesting associations, of wasps, ants and melastome plants, 564
nesting biology, of *Perdita opuntiae*, 185; of *Tetralonia hamata*, 686
nests, of leafcutter bees, 290
Neurocordulia molesta, 721
Nielson, D. C., 356
Nirmus eos, identity of, 173
nitrogen-fixing root nodules, food of *Rivellia* larvae, 27
Noctuidae, 62; natural enemies of, 597, 662; variegated cutworm, 437; viral pathology, 353
Nomuraea rileyi, infection in green cloverworm, 597, 662; overwintering of, 662
non-target arthropods, effects of insecticides on, 437
Nordin, G. L., 626
notice of annual meeting, 151
Nousia, biosystematics of, 91; ***crena***, new species, 105; ***bella***, new species, 117
Nuevoleonia, new genus, 228; ***minuscula***, new species, 229
nymph, of *Gomphus ozarkensis*, 656
nymphal size in *Magicicada*, 605
Nymphalidae, taxonomy, 403

oaks, effect on by addition of cicada nymphs, 269; spider fauna of, in Texas, 378
O'Canna, D., 626
oil, radiolabeled, response of fire ants to, 586
Oliver, J. H., 549
Oman, P., 314
Oncopeltus fasciatus, bacteria in, 553; genetic covariance of characters, 566; intra-specific variation, 567
Opiomeloe, new genus, 612; *flavipennis*, 612
orientation, in ants, 182
Orthoptera, as prey of sphecid wasp, 631
Osmia cornuta, potential pollinator, 42
Osmia lignaria, pollinator of apple, 448; ssp. *propinqua*, 42
Osmia ***sanrafaelae***, new species from Utah, 742
Ostrinia nubilalis, 373
overwintering, of *Nomuraea rileyi*, 662; by soybean pod borer, 240
oviposition, by species of *Parischnogaster*, 749
Oxaeidae, lacinia of, 137

Palmer, J. O., 566
parasites, dryinid, 69; hymenopterous, of hickory shuckworm, 182; of Megachilidae, 308
parasitism, of muscid flies, evaluation of, 84
parasitoids, braconid on corn borer, 509; of Chrysomelidae, 367; of green cloverworm, 597; of holly leafminer, 727; of sunflower moth, 732
Paraxenetus ***brailovskyi***, new species, 232
Parischnogaster species, egg deposition of, 749

Parker, F. D., 742
Paropomala wyomingensis, 465
pathology of granulosis virus in cutworm, 353
Patrons and sponsors, 700
pea aphid, fecundity of, 131
Pedigo, L. P., 597, 662
Perdita opuntiae, 185
Perich, M. J., 195
Peridroma saucia, in alfalfa, 437
periodical cicada, 269; nymphal size, 605
Pershing, J. C., 543
Pescador, M. L., 91
Peters, W. L., 91
Petersen, J. J., 84
Phasmatidae, host plants, 465
Phillips, J. R., 182
Philopteridae, on cockatoo, 173
Phyllophaga spp., on soybeans, 202
phylogeny, of calling behavior in cockroaches, 266; of *Nousia*, 114, 121
Phytomyza ilicicola, 727
phytophagous insects, 465; on Canada thistle, 472
Pickett, C. H., 503
Pilgrim, D., 567
Pitts, C. W., 569
plant-invertebrate communities, 75
planthoppers (Delphacidae), 69
Plathypena scabra, enemies of, 597; fungus in, 662
Platystomatidae, 27
pollen analysis of samples from *Heliothis*, 182
pollen-collecting structures of masarid wasps, 730
pollination, of orchard crops by *Osmia* bees, 42; vibration used by bees, 517
polygynous colonies of fire ants, 9
Pompilidae, 168
portable stand for D-Vac, 175
postembryonic changes in sensory structures of Tingidae, 277
Potter, D. A., 727
poultry manure, mortality of house fly eggs and larvae in, 442
Powell, J. A., 168
predators, of house fly larvae, 442
Price, R. D., 173
Pritchard, G., 152
Propp, G. D., 442
provisioning behavior of *Sphex* sp., 631
Pruess, K. P., 721
Pseudomasaris maculifrons, behavior, 162
Pteromalidae, parasites of muscid flies, 84
pupa, of *Trichobaris* spp., 701
Pupedis, R. J., 277
Pyralidae, European corn borer, 373, 509; parasitoids of, 732; first generation larvae, 739
pyrethroids (permethrin, cypermethrin), 422

queen bee, activity of in *Melipona*, 386

red maple, food for honey bees, other insects, 169
Rediviva, oil collecting by, 359; ***emdeorum***, new species, 362
Rensner, P. E., 175
reproduction, of stored-product insects, effects of 2-tridecanone, 254
reproductive condition in black cutworm moths, 62
reproductive system, female, in *Tabanus*, 195
resin collecting by stingless bees, 337
resistance, of corn to first-brood corn borer, 373; of plants to insects, 564
resource distribution, effects of on mate-seeking behavior of bees, 142
Rhagoletis tabellaria, 737
Rice, M. E., 557
Riley, E. G., 53, 428
Rivellia pallida, biology, 27
Rodrigues, P. D., 277
Roubik, D. W., 746
Rummel, D. R., 1

Sakagami, S. F., 36, 240, 746
Sanderson, L., 562
sand-hill stream, insects of, 207
Saturniidae, host plants of larvae, 465
Scarabaeidae, pests of soybeans, 202
Scelionidae, possible parasites of *Thermobia*, 183
Schaefer, C. W., 277
Schaffner, J. C., 228
Schal, C., 261
Scheiring, J. F., 207
Schmidt, R. S., 62
Scirtothrips citri, feeding on cotton leaves and mite eggs, 532
seasonal changes in reproduction of black cutworm moth, 62
seasonal occurrence, of Delphacidae, 69
Seevers, K. P., 397
Selander, R. B., 611, 668
sensory structures, postembryonic changes in Tingidae, 277
Setodes guttatus, female described, distribution, 166
Sevacherian, V., 532
sex attraction, in anthophorid bees, 526
Shimron, O., 526
Shiokawa, M., 36
Showers, W. B., 62
Simpson, B. B., 730
Sitona hispidulus, 346
slugs, pests of soybeans, 364
Smith, D. C., 737
Smith, S. G. F., 75
social behavior, of *Melipona*, 386
Solenopsis invicta, 586; worker size, mound distribution, 9
Sommeijer, M. J., 386
Sorensen, A. A., 586
Sorensen, E. L., 369
southwestern corn borer, ectoparasite of, 509
soybean pod borer, overwintering, 240
soybeans, defoliation by slugs, 364; white grub pests of, 202
Spastomeloe, new genus, 668; new species: ***formosus***, 670; ***singularis***, 673; triungulin larva, 674
spatial distribution of eggs of clover root curculio, 346
Speirs, W. E., 254
Sphecidae, provisioning behavior, 631

Sphex ichneumoneus, behavior, 631
spider mites, on corn, 503; two-spotted spider mite, 503
spider wasp, *Aporinellus*, 168
spiders, ecological occurrence, 75; fauna of in oaks, 378
Spomer, S. M., 566
stable fly, morphogenesis of larva, 569; parasites of, 84
Stenochironomus, larva, 724
Stenogastrinae, oviposition by, 749
stingless bees, resin collecting, 337
Stomoxys calcitrans, 84; larva, 569
stored-product insects, effects of 2-tridecanone on, 254
Story, J. M., 472
Strongylocassis, 53
subcastes of fire ant, behavior, 586
substrate samplers, for Chironomidae, 724
Sumitrosis species, parasitoids of, 367
Sumlin, W. D., 220
sunflower moth, parasitoids of, 732; first generation larvae, 739
survival, of corn rootworm, 397
Sutter, G. R., 353, 547
synopsis of nearctic Dorycephalinae, 314

Tabanidae, female reproductive system, 195
Tabanus abactor, 195
Taiwanese bamboo carpenter bees, 36
Tanno, K., 240
taxonomy of checkerspot butterflies, 403
temperature, developmental threshold for fall webworm, 626; effects on pea aphid and lady beetle, 131; effect on *Dineutes*, 567
Tephritidae, behavior of, 737
territoriality in *Dineutes*, effect of temperature on, 567
Tetralonia hamata, nest and larva, 686
Tetralonia lepida, nests, 559
tetranychid mites, as food of thrips, 532
Tetranychidae, on corn, 503
Tetraonyx, 611
thermal constant, for fall webworm, 626
thistle, insects feeding on, 472
Thorvilson, H. G., 597, 662
thrips, development, 532
ticks, cytogenetics of, 549
tiger beetles, 220
Tingidae, sensory structures, 277
Tipulidae, locomotion of larva, 152
titles of papers presented at 60th annual meeting of society, 184; 61st annual meeting, 562
Torchio, P. F., 42, 448
tortoise beetles, 53
Tortricidae, overwintering of, 240
toxicity of insecticides for corn rootworm, 547
Trepobates knighti, life history, 348
Trichobaris species, systematics, larvae, pupae, 701
tridecanone and analogues, effects on stored-product insects, 254
Trimeria buyssoni, 730
Troelstrup, N. H., 721
trophic structure, patterns of in stream insects, 207
Tsutsui, H., 240
Turillazzi, S., 749

variation, in cerambycid beetles, 534; morphometric, in greenbugs, 563
variegated cutworm, insecticide treatment, 437
Vespidae, egg deposition, 749
vibration by bees in pollen collection, 517
Vincent, L. S., 378
Vinson, S. B., 9, 586
virus, granulosis, in army cutworm, 353
Vogel, S., 359

water strider, life history, 348
Watkins, J. F., 479
Webster, J. A., 563, 564
weevils, larvae and pupae of, 124, 701
Weiss, M. J., 397
Wesley, C. S., 578
Wesley, F. R., 142
western corn rootworm, 397
whirligig beetles, territoriality, 567
White, J., 605
white grubs on soybeans, 202
Widdicombe, S. E., 562
Wilcox, B. A., 403
Wimmer, D., 182
Windsor, D. M., 564
Witkowski, J. F., 373
Wright, J., 403
Wright, R. E., 195

Xylocopa tranquebarorum, nest aggregation, 36

Yeargan, K. V., 69, 346
Young, A. M., 538
Youngman, A. L., 75

Zacynthus ***mexicanus***, new species, 234